

# danars

healthcare

## Product Features

## Latex Surgical Gloves

Single Use	Powder Free
Sterile	Natural Rubber Latex (NR)
Disposable	Hand Specific
	Curved Fingers
	Beaded Cuff
	Palm & Fingertip Textured
	Chlorinated
Color	Natural White
Size	7.5

also available in :  
5.5, 6.0, 6.5, 7.0, 8.0, 8.5, 9.0, 9.5, 10.0

## Physical Dimensions

Width (mm)	95 ± 4
Weight (g)	9.0g ± 1.0
Length	Min. 280mm / 11"
Mils	6
Palm Thickness (mm)	0.16 ± 0.02
Finger Thickness (mm)	0.17 ± 0.02
Cuff Thickness (mm)	0.11 ± 0.02

## ASTM Standard

Physical Properties	Before Ageing	After Ageing
Tensile Strength (MPa)	24 - 28	18 - 26
Elongation (%)	750 - 800	560 - 750
Modulus at 500% (MPa)	4.0 - 5.5	4.0 - 5.5



# LATEX SURGICAL GLOVES POWDER FREE

9.0g

SLPF  
90

## Inspection Levels & AQL

## Inspection Level

## AQL

Dimensions	S2	4.0
Physical Properties	S2	4.0
Airblow Test	G1	1.5
Visual Inspection (Major)	G1	2.5
Visual Inspection (Minor)	G1	4.0

Protein Content Below 50ug/dm<sup>2</sup>

Powder Content Below 2.0mg/glove

Major Certificates  
FDA  
ISO 13485  
MDA CLASS A (Malaysia)  
Country Specific Certificates

Test Compliance Reports Pre-Shipment Reports

Packaging  
Box Pack (Sterile)  
Bulk Packed (Non-Sterile)

Storage Conditions  
Store in a cool dry area with  
Temperature below 40°C

Shelf Life  
Product shall have a shelf life of  
3 years from the date of  
manufacture with the above  
storage conditions

## EN Standard

Physical Properties	Before Ageing	After Ageing
Force at Break (N)	12.0 - 14.0	9.0 - 11.0
Elongation at Break (%)	N/A	N/A

## Danars Healthcare Sdn. Bhd.

No. 27 Road 2/1,  
Tropicana Golf and Country Resort,  
47410,  
Petaling Jaya, Selangor,  
Malaysia.

W : [www.danarshealthcare.com](http://www.danarshealthcare.com)

T : +60 12 543 0740

E : [danarshc@gmail.com](mailto:danarshc@gmail.com)

SLPF  
F8 1/1

25/04/23