

### Product Features

### Examination Medical Gloves

Single Use	Nitrile Butadiene Rubber
Non- Sterile	Powder Free
Disposable	Single Chlorination
	Fingertip Textured
	Straight Finger
	Ambidextrous
	Beaded Cuff
	Class 1
<b>Color</b>	Blue
<b>Size</b>	XS, S , M , L , XL

### Physical Dimensions

Width (mm)	XS	70 ± 10
	S	80 ± 10
	M	95 ± 10
	L	110 ± 10
	XL	120 ± 10
Weight (g)	XS	3.5g ± 0.2
	S	4.0g ± 0.2
	M	4.5g ± 0.2
	L	5.0g ± 0.2
	XL	5.5g ± 0.2
Length (mm)	All Sizes	≥ 230mm / 9"
Palm Thickness (mm)	≥ 0.08	(Single Wall)
Finger Thickness (mm)	≥ 0.12	(Single Wall)
Cuff Thickness (mm)	≥ 0.07	(Single Wall)

### ASTM Standard

Physical Properties	Before Ageing	After Ageing
Tensile Strength (Mpa)	≥ 14	≥ 14
Elongation (%)	≥ 500	≥ 400

### Inspection Levels & AQL

### Inspection Level

### AQL

Dimensions	S2	4.0
Physical Properties	S2	4.0
Airblow Test	G1	1.5
Visual Inspection (Major)	G1	2.5
Visual Inspection (Minor)	G1	4.0

Protein Content	NA
Powder Content	≤ 2mg/glove

Major Certificates	ISO 10993-5, ISO 10993-10, ISO 10993-11, ISO 10993-23, ISO 13485, FDA, 510K, CE, Class 1 MDR(EU) 2017/745, Country Specific Certificates
--------------------	--

Test Compliance Reports	ASTM D6319, EN 420, EN 455-1, EN 455-2, EN455-3, EN 455-4, Food Test Report, Pre-Shipment Reports
-------------------------	--

Packaging	Box Packed
	Bulk Packed

Storage Conditions	Store in a cool dry area with Temperature below 40°C
--------------------	---

Shelf Life	Product shall have a shelf life of 3 years from the date of manufacture with the above storage conditions
------------	--

### EN Standard

Physical Properties	Before Ageing	After Ageing
Force at Break (N)	≥ 6	≥ 6



### Danars Healthcare Sdn. Bhd.

No. 27 Road 2/1,  
Tropicana Golf and Country Resort,  
47410,  
Petaling Jaya, Selangor,  
Malaysia.

W : [www.danarshealthcare.com](http://www.danarshealthcare.com)

T : +60 12 543 0740

E : [danarshc@gmail.com](mailto:danarshc@gmail.com)